

# Notice of Allowability

Application No.

09/779,278

Examiner

Matthew L. Brooks

Applicant(s)

MEIFU ET AL.

Art Unit

3629

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 7/31/06.
2. ☒ The allowed claim(s) is/are 1-6 and 9-15.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
**JOHN G. WEISS**  
**SUPERVISORY PATENT EXAMINER**  
**TECHNOLOGY CENTER 3600**

## DETAILED ACTION

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in a telephone interview with Attorney of record, Dexter Chang, on 11/13/06 (Reg. No 44,071).
3. Claims 15, wherever the term "member/s" appears shall be replaced with the term "player/s" have been canceled.

### *Response to Amendment*

4. Claims 7-8 had been previously cancelled. Claims 1-6, 9-15 are pending in Application 09/779,278.

### *Drawings*

5. All drawings have been approved.

### *Allowable Subject Matter*

6. Claim 1-6 and 9-15 are allowed.
7. The following is a statement of reasons for allowance:
8. As per **independent Claim 1**, the prior art does not teach or suggest a "separate input device" to work in conjunction with a telephone.
9. As per **independent Claim 9**, the prior art does not teach or suggest a "separate input device" to work in conjunction with a telephone.

Art Unit: 3629

10. **Barber (5,245,537) and Fisher (5,507,485) discloses** all of the limitations as claimed including the golf data tracking programs implemented on a telephone and/or PDA.

11. **Barber and Fisher** fails to disclose a the use "separate input device" having shot button, a putt button and penalty button, working in conjunction with said telephone and/or PDA.

### ***Conclusion***

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew L. Brooks whose telephone number is (571) 272-8112. The examiner can normally be reached on Monday - Friday; 8 AM - 5 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Weiss can be reached on (571) 272-8112. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 3629

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Office of Initial Patent Examination whose number is (571)572-4000.

MLB  
3/13/2006



**JOHN G. WEISS**  
**SUPERVISORY PATENT EXAMINER**  
**TECHNOLOGY CENTER 3600**